


| | | | | |
|--|--|---|------------------------------------|--|
| REPORT DOCUMENTATION PAGE | | | Form Approved OMB No. 0704-0188 | |
| Public reporting burden for the collection of information is estimated to average 1 hour per response, indicating the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and collecting and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of the collection of information, indicating suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0183), Washington, D.C. 20503. | | | | |
| 1. AGENCY USE ONLY (Leave blank) | | 2. REPORT DATE August 20 1997 | | 3. REPORT TYPE AND DATES COVERED October 1993-May 1997 |
| 4. TITLE AND SUBTITLE Heat Transfer and Flow Structure in End-Wall Boundary Layers | | | | 5. FUNDING NUMBERS AFOSR F49620-93-1-0217 |
| 6. AUTHOR(S) Dr. C. R. Smith Dr. J. D. A. Walker | | | | |
| 7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Department of Mechanical Engineering and Mechanics Lehigh University 354 Packard Laboratory, 19 Memorial Drive West Bethlehem, Pennsylvania 18015 | | | | 8. PERFORMING ORGANIZATION REPORT NUMBER AFOSR |
| 9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Air Force Office of Scientific Research (AFMC) 110 Duncan Avenue, Suite B115 Bolling Air Force Base, D. C. 20332-0001 | | | | 10. SPONSORING/MONITORING AGENCY REPORT NUMBER |
| 11. SUPPLEMENTARY NOTES | | | | |
| <div style="text-align: center;">  </div> | | | | |
| 12a. DISTRIBUTION/AVAILABILITY STATEMENT | | | | 12b. DISTRIBUTION CODE |
| 13. ABSTRACT (Maximum 200 words) Analytical, numerical, and experimental studies have documented the flow development and surface heat transfer for several three-dimensional end-wall flows, and indicate the presence of highly unsteady vortex formation within the end-wall boundary layer. This vortex formation process leads rapidly to the evolution of three-dimensional separation effects which have a profound influence on the surface heat transfer. Analysis of the three-dimensional behavior indicates the presence of persistent and strong interactions between the end-wall boundary layers on both the surface and the side-wall boundary layers of the obstacle. A detailed series of Navier-Stokes calculations have been carried out for a vortex-induced motion similar to that encountered in turbulent boundary layers. As the Reynolds number is increased, a new type of instability associated with surface layer separation was found which leads to breakup of the surface layer. Experimentally, laminar approach flows always develop discrete, periodic necklace vortices in the junction region, whereas a turbulent approach yields a dominant necklace or horseshoe-shaped vortex that moves chaotically. Examinations of the complex fluid/heat transfer processes using PIV and thermochromic liquid crystals shows that these junction vortices undergo very strong surface interactions, which creates strongly focused "eruptions" of surface fluid; these studies show a direct correlation between the eruptive processes and local regions of high heat transfer. | | | | |
| 14. SUBJECT TERMS Particle Image Velocimetry, PIV, Heat Transfer, Junction Flow, Horseshoe Vortices, Boundary Layers, Vortex Dynamics, Laminar Vortices, Turbulent Vortices, Vortex Interactions | | | | 15. NUMBER OF PAGES 5 |
| | | | | 16. Price code |
| 17. SECURITY CLASSIFICATION OF REPORT Unclassified | | 18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified | | 19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified |
| | | | | 20. LIMITATION OF ABSTRACT UL |

FINAL REPORT
AFOSR GRANT NO. F49620-93-1-0217

Heat Transfer and Flow Structure in End-Wall Boundary Layers

C. R. Smith and J. D. A. Walker
Lehigh University
354 Packard Laboratory
19 Memorial Drive West
Bethlehem, PA 18015

DTIC QUALITY INSPECTED 3

20 August 1997

19970825 092

Executive Summary

Objectives

This research is a combined theoretical, computational and experimental study of the basic physics associated with the development of flow structure in end-wall boundary layers (e.g., wing-body and turbine blade type junctures) and the influence of this flow structure on surface heat transfer. One central objective is to determine the modes of development of juncture flow structures, their temporal behavior, and subsequent interactions with the bounding surfaces. Both laminar and turbulent approach flows are considered in the experimental work; the theoretical/computational work focuses on laminar approach flows. A second objective is to assess the influence of the developing flow structure on temporal surface heat transfer, paying particular attention to the influence of vortex-surface interactions.

Overview

Analytical and numerical studies have documented the flow development and surface heat transfer on the symmetry plane for several three-dimensional end-wall flows. It is found that highly unsteady vortex formation within the end-wall boundary layer is observed. These events lead rapidly to the evolution of three-dimensional separation effects which have a profound influence on the surface heat transfer. Analysis of the three-dimensional behavior indicates the presence of persistent and strong interactions between the end-wall boundary layers on the surface and side-wall boundary layers on the obstacle.

The process of breakup and instability in vortex-induced flows is relevant to the processes that occur in general turbulent boundary layers. A detailed series of Navier-Stokes calculations have been carried out for a vortex-induced motion similar to that encountered in turbulent boundary layers. As the Reynolds number is increased, a new type of instability associated with surface layer separation was found which leads to breakup of the surface layer.

Experimentally, laminar approach flows have been examined thoroughly, with the flow being shown to always develop discrete necklace vortices in the leading edge region; these necklace vortices are observed to evolve through a series of periodic flow regimes as Reynolds number increases. PIV studies have revealed the details of the processes of both vortex-surface interactions, as well as the mechanism for the demise of these vortices; liquid crystal studies have documented the transient surface heat transfer behavior. Recent examinations of a turbulent approach flow reveal similar types of necklace-type vortex behavior, with a dominant necklace or horseshoe-shaped vortex moving chaotically in the leading edge region. PIV studies show that this vortex undergoes very strong surface interactions, which creates strongly focused "eruptions" of surface fluid, which in turn strongly influence local surface heat transfer. Examinations of the complex processes of the turbulent heat transfer processes using PIV and thermochromic liquid crystal evaluations have shown a direct correlation between the eruptive processes and local regions of high heat transfer.

Accomplishments/New Findings

- (1) The development of a laminar boundary layer upstream of both two and three-dimensional obstacles mounted on a plane wall was studied. It has been shown that the boundary layer upstream of the obstacle develops initially independently from that on the obstacle itself when the motion is impulsively started from rest. Numerical solutions for the unsteady boundary layer were obtained in both Eulerian and Lagrangian coordinates. It has been demonstrated that in both types of situations, the flow focuses into a narrow band eruption, which is characteristic of separation phenomenon at

high Reynolds numbers. For three-dimensional obstacles, results are obtained on the symmetry plane upstream of the obstacle. These indicate the persistent evolution and subsequent sharp compression of a spiral vortex in the near-wall flow in a manner consistent with the experimental observations. The eruptive response of the two-dimensional boundary layer is found to be considerably stronger than corresponding events in three dimensions. Computed results for the temperature distribution in situations where the wall temperature is constant, but different from that of the mainstream, show that a concentrated response develops in the surface heat transfer. This response is in relative motion as the boundary layer starts to separate from the surface, thereby suggesting that end-wall boundary layers are generally regions of high thermal stress.

- (2) Initial analysis of the outboard boundary layer on the end-wall for three-dimensional objects was done. Theoretical developments indicate a complex interaction between the boundary layers on the end-wall and those on the obstacle itself. This interaction acts to sustain the complex vortex system, which develops and surrounds the three-dimensional obstacle.
- (3) A detailed set of calculations for a three-dimensional vortex-induced flow was carried out using both spectral and finite-difference methods. The results indicated a variety of complex phenomena that occur as the Reynolds number is increased; these effects are associated with reversed flow in the cross-flow plane and lead to breakup and a new instability of the cross-flow motion. It has been demonstrated that these events are too complex to be resolved using spectral techniques and involve sharply focused behavior in space. In the streamwise direction, behavior similar to wall-layer streaks develop in a manner consistent with that observed in turbulent boundary layers.
- (4) Experimentally, the development and translation of the necklace vortices for an impinging laminar boundary layer have been shown to have a profound effect on surface heat transfer, with increases of up to 400% over comparable flat plate values in the absence of the bluff body, with local cyclical variations on the order of $\pm 30\%$ – 50% . These increases are the result of the modifying effects of the necklace vortices, particularly a resident corner vortex; the significant cyclical fluctuations are directly tied to the periodic formation and translation of the necklace vortices toward the body. PIV studies indicate the development of strong vortex-surface interactions which result in the concentration and ejection of local boundary layer fluid from the surface, and which subsequently interact with the generating vortex to decrease its strength, and control the vorticity balance in the end-wall region. These fluid ejections are also the primary stimulus for elevation of the surface heat transfer, providing ejection of warm fluid away from the surface, which is replaced by cooler fluid from the surrounding environment.
- (5) With an impinging turbulent boundary layer, a large, resident horseshoe-type vortex is observed to move chaotically within an envelope adjacent to the junction, precipitating violent eruptions of wall layer fluid upon close approach to the surface. PIV studies illustrate that these eruptions are similar to those observed for the laminar approach, but more sporadic and much more focused. The chaotic motion of the vortex is caused by intermittent induced vortex behavior due to coalescence of the horseshoe vortex with both vorticity in the impinging boundary layer and with the vorticity from the wall-layer eruptions. The surface heat transfer shows strong local variations, progressing from cross-stream undulations (due to the low-speed streak behavior in the impinging boundary layer) to strong circumferential variations in the junction region. These circumferential variations are a consequence of the surface interaction of the resident horseshoe vortex, and increase local heat transfer by as much as 300% relative to turbulent flat plate values. The combination of the chaotic motion and surface interaction of the horseshoe vortex create sharp temporal variations of up to $\pm 50\%$ in local surface heat transfer, which suggests the importance of the vortex behavior in creating local "hot spots" in comparable turbine blade junctions.

Contract Information

Personnel Supported

J.D.A. Walker (Co-Principal Investigator)
C.R. Smith (Co-Principal Investigator)
B. Geveci (Graduate Research Assistant)
T.L. Praisner (Graduate Research Assistant)
R. I. Puhak (Graduate Research Assistant)
D.S. Sabatio (Graduate Research Assistant)
L. Takmaz (Graduate Research Assistant)
C.N. Zhikharev (Graduate Research Assistant)

Publications

Doligalski, T.L., Smith C.R. and Walker, J.D.A. 1994 "Vortex Interaction with Walls", *Annual Review of Fluid Mechanics* **26**, 574-616.

Puhak, R., Degani, A.T. and Walker, J.D.A. 1994 "Separation and Heat Transfer of Obstacles", in *Advances in Analytical Methods in Modeling of Aerodynamic Flows*, J.D.A. Walker, M. Barnett and F.T. Smith (eds.), AIAA..

Smith, C.R. and Walker, J.D.A. 1995 "Turbulent Wall-Layer Vortices" in *Fluid Vortices*, S. I. Green (ed.), Kluwers Publishing Company, 235-283.

Puhak, R.I., Degani, A.T. and Walker, J.D.A. 1995 "Unsteady Separation and Heat Transfer Upstream of Obstacles", *Journal of Fluid Mechanics* **305**, 1-28.

Seal, C.V., Smith, C.R., Akin, O., and Rockwell, D. 1995 "Quantitative Characteristics of a Laminar, Unsteady Necklace Vortex System in a Rectangular Block-Flat Plate Junction", *Journal of Fluid Mechanics* **286**, 117-135.

Seal, C.V., Smith, C.R., and Rockwell, D. 1995 "Dynamics of the Vorticity Distribution in End-wall Junctions," *ALAA Journal* **35**(6), 1041-1047.

Smith, C.R. 1996 "Coherent Flow Structures in Flat Wall Turbulent Boundary Layers: Facts, Mechanisms, and Speculation," In *Coherent Flow Structures in Open Channels*, P.J. Ashworth, J.L. Best, S.J. Bennett, and S.J. McLelland eds., John Wiley & Sons Ltd., 1-39, 1996

He, J., Kazakia, J.Y., Ruban, A.I. and Walker, J. D. A. 1996 "A Model for Adiabatic Supersonic Turbulent Boundary Layer", *Theoretical and Computational Fluid Dynamics* **8**, 349-364.

Cassel, K., Ruban, A.I. and Walker, J.D.A. 1996 "The Influence of Wall Cooling on Hypersonic Boundary-Layer Separation and Stability", *Journal of Fluid Mechanics* **321**, 189-216.

Takmaz, L. 1996 "Transient Heat Transfer Behavior Due to End-Wall Flow Structure," Ph.D. Thesis, Lehigh University, May.

Praisner, T.J., Seal, C.V., Takmaz, L., and Smith, C.R. 1997 "Spatial-Temporal Turbulent Flow-Field and Heat Transfer Behavior in End-Wall Junctions," *International Journal of Heat and Fluid Flow* **18**, 142-151.

Seal, C.V. 1997 "The Control of Junction Flows," Ph.D. Thesis, Lehigh University, May 1997.

Brinckman, K.W. and Walker, J.D.A. 1997 "Breakup and Instability in a High Reynolds Number Flow", AIAA Paper 96-2156; to be submitted to *Journal of Fluid Mechanics*.

Seal, C.V. and Smith, C.R. 1997 "Intertwining Laminar Necklace Vortices," *Physics of Fluids* (Gallery of Fluid Motion) (in press).

Smith, C.R. and Walker, J.D.A. 1997 "Sustaining Mechanisms of Turbulent Boundary Layers: The Role of Vortex Development and Interactions," in Self-Sustaining Mechanisms of Wall Turbulence, R.L. Panton, ed., Computational Mechanics Publications, Southampton, U.K. (to appear).

Interactions/Transitions

a. Meetings

Seal, C.V. and Smith, C.R. "Quantitative Characteristics of a Laminar, Unsteady Necklace Vortex System at a Rectangular Block-Flat Plate Junction," 47th Meeting of American Physical Society, Atlanta, GA, 21 Nov., 1994.

Takmaz, L. and Smith, C.R. "Experimental Investigation of the Influence of Vortex Interaction on Surface Heat Transfer in End-Wall Boundary Layers," 47th Meeting of American Physical Society, Atlanta, GA, 22 Nov., 1994.

Walker, J.D.A. "Turbulent Wall Layer Vortices", Invited Speaker at Naval Underseas Warfare Center, Newport News, Rhode Island, April 15, 1994.

Walker, J.D.A. "Vortex Interactions with Walls", Invited Keynote Speaker, 3rd Army Research Office Workshop on Rotational Aerodynamics, Georgia Institute of Technology, March 24-25, 1994.

Smith, C.R. "Flow Structure and Heat Transfer in End-Wall Boundary Layers: A Study in Complex Vortex Dynamics," Invited Seminar, Department of Mechanical Engineering, École Polytechnique Fédérale de Lausanne, Lausanne, Switzerland, 20 Feb., 1995.

Smith, C.R. "Coherent Flow Structures in Smooth/Flat Bed Turbulent Boundary Layers," Keynote Address at Conference on Coherent Flow Structures in Open Channels: Origins, Scales, and Interactions with Sediment Transport and Bed Morphology, Leeds, England, 10 April, 1995.

Smith, C.R. "Fluid Dynamics and Heat Transfer in End-Wall Boundary Layers," AFOSR Contractors Meeting, Wright Patterson AFB, Dayton, OH, 15 May 1995.

Smith, C.R. "Coherent Flow Structures in Turbulent Boundary Layers: Facts, Hypothesis, Speculation," Invited Seminar, NASA Langley Flow Physics Branch, Langley, VA., 17 July, 1995.

Walker, J. D. A. "Unsteady Boundary-Layer Separation", Invited Seminar, City College, New York, October 3, 1995.

Walker, J. D. A. "Breakup and Instability in a High Reynolds Number Flow", AIAA Paper 96-2156, 1st Theoretical Fluid Mechanics Conference, New Orleans, June, 1996.

Sabatino, D.S., Praisner, T.L., and Smith, C.R. "Simultaneous Measurement of Flow Field Velocity and Surface Heat Transfer," 49th Meeting of American Physical Society, Syracuse, NY, 22 Nov., 1996.

Seal, C.V. and Smith, C.R. "Spatially-Limited Suction as a Means to Control Turbulent Junction Flows," 49th Meeting of American Physical Society, Syracuse, NY, 22 Nov., 1996.

Praisner, T.L., Sabatino, D.S. and Smith, C.R. "An Experimental Investigation of the Simultaneous Flow Field/Heat Transfer Behavior in a Turbulent Junction Flow," 49th Meeting of American Physical Society, Syracuse, NY, 22 Nov., 1996.

Fitzgerald, J.P. and Smith, C.R. "Experimental Measurement of Deformation and Motion of a Flexible Panel via Shadow Moiré Technique," 49th Meeting of American Physical Society, Syracuse, NY, 22 Nov., 1996.

b. Consultative/Advisory

Smith, C.R. Consultant, Flow Physics Branch, NASA Langley. 17-19 July 1995. Consultation on noise generation by vortices, and turbulent flow structure. Contact persons: Barry Lazos, Bart Singer, Tom Gatski.

New Discoveries, Inventions or Patent Disclosures

None

Honors/Awards

| | |
|--|--------------------------|
| Honor/Award: Fellow, American Physical Society Honor/Award Recipient(s): J. David A. Walker Awarding Organization: American Physical Society | Year Received: 1991 |
| Honor/Award: Associate Fellow, AIAA Honor/Award Recipient: J. David A. Walker Awarding Organization: American Institute of Aeronautics and Astronautics | Year Received: 1993 |
| Honor/Award: Alexander von Humboldt Senior Scientist Honor/Award Recipient: J. David A. Walker Awarding Organization: Alexander von Humboldt Foundation | Year Received: 1994 |
| Honor/Award: Chairman, AIAA Fluid Dynamics Technical Committee Honor/Award Recipient: J. David A. Walker Awarding Organization: American Institute of Aeronautics and Astronautics | Year Received: 1993-1996 |
| Honor/Award: Keynote Speaker, Conference on Coherent Flow Structures in Open Channels Honor/Award Recipient: C.R. Smith Awarding Organization: British Sedimentological Research Group | Year Received: 1995 |